




International Journal of Gerontology

journal homepage: <http://www.sgecm.org.tw/ijge/>



Keywords Index

| | | | |
|--|---|----------------------------------|-------------------------|
| A | | cytomegalovirus | 18:191 |
| ABCA1 | 18:85 | D | |
| activities of daily living | 18:24 | decision trees | 18:75 |
| activity of daily living | 18:231 | dementia | 18:24, 226, 231 |
| actual vehicle driving | 18:36 | depression | 18:96, 268 |
| acute physiology and chronic health evaluation II aged | 18:155 | diagnosis | 18:241 |
| | 18:9, 14, 42, 60, 70, 75, 103, 124, 173, 191, 221, 249, 271 | digital technology | 18:64 |
| ageing | 18:236 | diverticulum | 18:58 |
| Alzheimer disease | 18:80 | dual energy X-ray absorptiometry | 18:179 |
| anemia | 18:124 | dual task performance | 18:258 |
| angiomatoid fibrous histiocytoma | 18:127 | dysphagia | 18:221 |
| antiviral agents | 18:14 | E | |
| arrhythmia | 18:113 | early warning score | 18:9 |
| asbestos | 18:130 | elderly | 18:53, 91, 96, 130, 236 |
| atrial fibrillation | 18:113 | emergency service, hospital | 18:206 |
| attitude | 18:236 | endoscopy | 18:58, 271 |
| attitude to death | 18:138 | epidemiology | 18:184 |
| B | | exercise | 18:258 |
| bezoars | 18:271 | extrahepatic | 18:217 |
| biliary drainage | 18:217 | F | |
| biomarkers | 18:64, 150 | family caregivers | 18:226 |
| body mass index | 18:212 | fitness | 18:29 |
| bone density | 18:118 | frail elderly | 18:75 |
| burden | 18:226 | frailty | 18:60, 70, 268 |
| C | | free SCIP flap | 18:53 |
| cardiac rehabilitation | 18:150 | functional decline | 18:18 |
| carotid intima-media thickness | 18:144 | G | |
| cerebral infarction | 18:161 | gait analysis | 18:173 |
| cerebrovascular diseases | 18:36 | gallstones | 18:197 |
| cholangiocarcinoma | 18:217 | gastroctomy | 18:124 |
| chronic kidney diseases | 18:91 | gastrointestinal hemorrhage | 18:191 |
| chronic obstructive pulmonary disease | 18:108 | genetic polymorphism | 18:85 |
| cognition | 18:80, 258 | geriatric assessment | 18:241 |
| cognitive dysfunction | 18:64, 231 | geriatric patients | 18:48 |
| cognitive function | 18:36 | H | |
| cognitive impairment | 18:268 | HALP score | 18:108 |
| cohort study | 18:212 | health service for the aged | 18:138 |
| community-acquired pneumonia | 18:155 | health status | 18:70 |
| conservative treatment | 18:167 | healthy aging | 18:249 |
| consistency | 18:179 | heart atria | 18:113 |
| coronary artery disease | 18:2, 150 | heart disease risk factors | 18:144 |
| Coronavirus | 18:254 | hemoperitoneum | 18:127 |
| COVID-19 | 18:9, 60 | hepatitis C | 18:14 |
| cross-national comparison | 18:18 | home care services | 18:206 |
| cross-sectional studies | 18:118 | humans | 18:113 |

| | | | |
|-----------------------------------|-----------------------------|--|--|
| hydrocephalus, normal pressure | 18:173 | | |
| I | | | |
| ileum | 18:271 | | |
| immune check point inhibitor | 18:194 | | |
| Indonesia | 18:184 | | |
| infarction | 18:263 | | |
| insulin resistance | 18:118 | | |
| invasive mechanical ventilation | 18:155 | | |
| inverted | 18:58 | | |
| J | | | |
| Japan | 18:60 | | |
| K | | | |
| kidney transplantation | 18:144 | | |
| kinesiophobia | 18:2 | | |
| kyphoplasty | 18:103 | | |
| L | | | |
| laparoscopes | 18:197 | | |
| leisure activities | 18:249 | | |
| longitudinal studies | 18:18, 241 | | |
| long-term care | 18:138 | | |
| M | | | |
| malnutrition | 18:268 | | |
| mesothelioma | 18:130 | | |
| meta-analysis | 18:2 | | |
| microsurgery | 18:53 | | |
| mild cognitive impairment | 18:85 | | |
| mortality | 18:212 | | |
| multimorbidity | 18:241 | | |
| muscle strength | 18:212 | | |
| myasthenia gravis | 18:194 | | |
| myositis | 18:194 | | |
| N | | | |
| nerve block | 18:103 | | |
| neuropsychological tests | 18:80 | | |
| neutrophil/lymphocyte ratio | 18:48 | | |
| nivolumab | 18:194 | | |
| nursing home | 18:96 | | |
| nutrients | 18:124 | | |
| nutrition | 18:236 | | |
| O | | | |
| older adult | 18:18 | | |
| older adults | 18:29, 184, 226, 258 | | |
| older individuals | 18:217 | | |
| P | | | |
| paraspinal muscles | 18:167 | | |
| patient readmission | 18:70 | | |
| peritoneum | 18:130 | | |
| peritoneum tumor | 18:127 | | |
| physical activity | 18:29 | | |
| plasmapheresis | 18:194 | | |
| pneumonia | 18:155, 221 | | |
| polypharmacy | 18:91 | | |
| polystyrene sulfonic acid | 18:191 | | |
| population density | 18:60 | | |
| post anesthetic care unit | 18:48 | | |
| postmenopause | 18:167 | | |
| postural balance | 18:173 | | |
| predictor | 18:206 | | |
| processing speed | 18:24 | | |
| prognosis | 18:42, 108 | | |
| pyelonephritis | 18:263 | | |
| Q | | | |
| quality of life | 18:29, 96, 226, 249, 258 | | |
| R | | | |
| radiotherapy | 18:42 | | |
| rehabilitation | 18:36 | | |
| relevant factors | 18:2 | | |
| renal insufficiency, chronic | 18:144 | | |
| repeated falls | 18:268 | | |
| resistance exercise | 18:96 | | |
| risk factors | 18:161, 167, 184 | | |
| S | | | |
| sarcopenia | 18:221 | | |
| sclerostin | 18:144 | | |
| sedentary behavior | 18:75 | | |
| SI scores | 18:80 | | |
| simplified acute physiology score | 18:155 | | |
| single-balloon enteroscopy | 18:197 | | |
| sleep disturbance | 18:184 | | |
| social activity | 18:18 | | |
| social isolation | 18:138 | | |
| spinal fractures | 18:103, 167 | | |
| spinal puncture | 18:173 | | |
| stomach | 18:58 | | |
| stroop test | 18:80 | | |
| students | 18:236 | | |
| survival | 18:217 | | |
| survival analysis | 18:70 | | |
| syndemic | 18:241 | | |
| systematic review | 18:64 | | |
| T | | | |
| thrombocytopenia | 18:254 | | |
| thrombosis | 18:254 | | |
| transportation | 18:138 | | |
| Türkiye | 18:249 | | |
| U | | | |
| upper gastrointestinal bleeding | 18:161 | | |
| uterine cervical neoplasms | 18:42 | | |
| V | | | |
| vaccines | 18:254 | | |
| visceral pain | 18:263 | | |
| vitamin B12 | 18:124 | | |
| W | | | |
| wearable electronic devices | 18:75 | | |
| wellbeing | 18:29 | | |
| whole body bone mineral density | 18:179 | | |